



U.S. Department
of Transportation
**Federal Aviation
Administration**

THESE RECORDS MAY BE RELEASABLE UNDER THE FOIA REQUEST 15
DAYS AFTER SIGNATURE DATE UNLESS WE HEAR OTHERWISE FROM
FAA NTSB COUNSEL

Mike Monroney
Aeronautical Center

P.O. Box 25082
Oklahoma City, Oklahoma 73125

Wednesday, November 15, 2017

National Transportation Safety Board
45065 Riverside Parkway
Ashburn, VA 20147

ACCIDENT # 0210 INDIVIDUAL#: 001 NAME: **Pilot** MODE: AVIATION
DATE OF ACCIDENT 10/04/2017 DATE RECEIVED 10/06/2017 PUTREFACTION: Yes
N # 401HH NTSB # ERA18FA004 CAMI REF # 201700210001
LOCATION OF ACCIDENT Salters, SC
SPECIMENS Bile, Blood (Cavity), Gastric, Heart, Kidney, Liver, Lung, Muscle, Spleen, Urine

FINAL FORENSIC TOXICOLOGY FATAL ACCIDENT REPORT

CARBON MONOXIDE: The carboxyhemoglobin (COHb) saturation is determined by spectrophotometry with a 10% cut off and confirmed by chromatography.

>> NO CARBON MONOXIDE detected in Blood (Cavity)

CYANIDE: The presence of cyanide is screened by Conway Diffusion, when the COHb level is equal to or greater than 10% or upon special request. Cyanides are quantitated by spectrophotometry and confirmed by chromatography. The reporting cutoff for cyanide is 0.25 ug/mL. Normal blood cyanide concentrations are less than 0.15 ug/mL, while lethal concentrations are greater than 3 ug/mL.

>> NOT PERFORMED

VOLATILES: The volatile concentrations are determined by headspace gas chromatography at a cut off of 10 mg/dL. Where possible, positive ethanol values are confirmed by Radiative Energy Attenuation.

>> 185 (mg/dL, mg/hg) Ethanol detected in Urine
>> 210 (mg/dL, mg/hg) Ethanol detected in Blood (Cavity)
>> Propanol (N-) detected in Blood (Cavity)

DRUGS: Specimens are analyzed using immunoassay, chromatography, GC/MS, HPLC/MS, or GC/FTIR. Concentrations (ug/mL) at or above those in () can be determined for, but not limited to, the following drugs: amphetamines (0.010), opiates (0.010), marijuana (0.001), cocaine (0.020), phencyclidine (0.002), benzodiazepines (0.030), barbiturates (0.060), antidepressants (0.100), and antihistamines (0.020). Drugs and/or their metabolites, that are not impairing or abused, may be reported from the initial tests. See the CAMI Drug Information Web Site for additional information (<http://jag.cami.jccbi.gov/toxicology/>).

>> 202.69 (ug/ml, ug/g) Acetaminophen detected in Urine
>> Benazepril NOT detected in Blood (Cavity)
>> Benazepril detected in Urine
>> Colchicine detected in Blood (Cavity)
>> Colchicine detected in Urine
>> Diphenhydramine detected in Urine
>> 0.122 (ug/ml, ug/g) Diphenhydramine detected in Blood (Cavity)
>> Donepezil detected in Urine
>> Donepezil detected in Blood (Cavity)
>> Hydroxychloroquine detected in Blood (Cavity)

Wednesday, November 15, 2017

CONTINUATION OF REF#: 201700210001 - [REDACTED]

>> Hydroxychloroquine detected in Urine
>> Naproxen detected in Urine
>> Rosuvastatin NOT detected in Blood (Cavity)
>> Rosuvastatin detected in Urine

[REDACTED]
c=US, o=U.S. Government, ou=AMC, ou=AMC, cn=RUSSELL J
LEWIS
2017.11.17 14:10:49 -06'00'

Russell Lewis, Ph.D., F-ABFT
Supervisor, Forensic Sciences
Bioaeronautical Sci. Research Lab
CAMI, FAA